

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/24/2015

Reviewed on 07/24/2015

## 1 Identification

- **Product identifier**
- **Trade name:** Waterless Engine Coolant
- **Article number:** 0700 JL
- **CAS Number:**  
107-21-1
- **EC number:**  
203-473-3
- **Index number:**  
603-027-00-1
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Jamson Laboratories, Inc.  
101 South Bayview Blvd.  
Oldsmar, FL 34677  
USA
- **Information department:** Product Safety Department
- **Emergency telephone number:** ChemTel Inc. (800) 255-3924 Intl. +01 (813) 248-0585



## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

H227 Combustible liquid.

- **Additional information:**

When ingested early symptoms mimic alcohol inebriation and are followed by nausea, vomiting, abdominal pain, weakness, muscle tenderness, respiratory failure, convulsions, cardiovascular collapse, pulmonary edema, hypocalcemic tetany, and severe metabolic acidosis. Without treatment, death may occur in 8 to 24 hours. Victims who survive the initial toxicity period usually develop renal failure along with brain and liver damage., Exposure to and/or consumption of alcohol may increase toxic effects.

- **Label elements**
- **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Warning

(Contd. on page 2)

USA

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/24/2015

Reviewed on 07/24/2015

**Trade name: Waterless Engine Coolant**

(Contd. of page 1)

- **Hazard-determining components of labeling:**

*ethanediol*

- **Hazard statements**

*H227 Combustible liquid.*

*H302 Harmful if swallowed.*

*H373 May cause damage to organs through prolonged or repeated exposure.*

- **Precautionary statements**

*P101 If medical advice is needed, have product container or label at hand.*

*P102 Keep out of reach of children.*

*P103 Read label before use.*

*P210 Keep away from flames and hot surfaces. – No smoking.*

*P260 Do not breathe dust/fume/gas/mist/vapors/spray.*

*P264 Wash thoroughly after handling.*

*P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.*

*P403+P235 Store in a well-ventilated place. Keep cool.*

*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



*Health = 2*

*Fire = 1*

*Reactivity = 0*

- **HMIS-ratings (scale 0 - 4)**



*Health = 2*

*Fire = 1*

*Reactivity = 0*

- **Other hazards**

- **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Substances**

- **CAS No. Description**

*107-21-1 ethanediol*

- **Identification number(s)**

· **EC number:** 203-473-3

· **Index number:** 603-027-00-1

### 4 First-aid measures

- **Description of first aid measures**

- **General information:**

*Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.*

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:** Generally the product does not irritate the skin.

· **After eye contact:** Remove contact lenses if able to do so.

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 07/24/2015

Reviewed on 07/24/2015

**Trade name: Waterless Engine Coolant**

(Contd. of page 2)

- **After swallowing:**  
Do not induce vomiting; immediately call for medical help.  
A person vomiting while lying on their back should be turned onto their side.  
Immediately call a doctor.
- **Most important symptoms and effects, both acute and delayed**  
Nausea  
Cyanosis  
Headache
- **Danger**  
Danger of circulatory collapse.  
Danger of pulmonary edema.  
Danger of convulsion.
- **Indication of any immediate medical attention and special treatment needed**  
Later observation for pneumonia and pulmonary edema.  
In cases of cyanosis, administer vitamin C, oxygen, protect from sunlight.  
Medical supervision for at least 48 hours.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** Carbon monoxide (CO)
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and storage

- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Protect from heat.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Unsuitable material for receptacle: aluminium.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/24/2015

Reviewed on 07/24/2015

**Trade name: Waterless Engine Coolant**

(Contd. of page 3)

- **Information about storage in one common storage facility:**
  - Do not store together with acids.
  - Store away from reducing agents.
  - Store away from oxidizing agents.
  - Store away from foodstuffs.
- **Further information about storage conditions:** Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

### 107-21-1 ethanediol

TLV	Long-term value: NIC-10* mg/m <sup>3</sup> Ceiling limit value: (100) mg/m <sup>3</sup> (H);*as inhalable fraction and vapor
-----	--

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
  - Keep away from foodstuffs, beverages and feed.
  - Wash hands before breaks and at the end of work.
- **Breathing equipment:**
  - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**
  - The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
  - Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
  - Neoprene gloves
  - PVA gloves
  - PVC or PE gloves
  - PVC gloves
  - Rubber gloves
  - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
  - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**
  - Safety glasses
  - Goggles recommended during refilling.

USA

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/24/2015

Reviewed on 07/24/2015

Trade name: Waterless Engine Coolant

(Contd. of page 4)

## 9 Physical and chemical properties

· <b>Information on basic physical and chemical properties</b>	
· <b>General Information</b>	
· <b>Appearance:</b>	
Form:	Liquid
Color:	Clear
· <b>Odor:</b>	Sweetish
· <b>Odour threshold:</b>	Not determined.
· <b>pH-value at 20 °C (68 °F):</b>	>10.0 (10% in distilled water)
· <b>Change in condition</b>	
Melting point/Melting range:	-12.4 °C (10 °F)
Boiling point/Boiling range:	197 °C (387 °F)
· <b>Flash point:</b>	111 °C (232 °F)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	410 °C (770 °F)
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Not determined.
· <b>Danger of explosion:</b>	Not determined.
· <b>Explosion limits:</b>	
Lower:	3.2 Vol %
Upper:	53 Vol %
· <b>Vapor pressure at 20 °C (68 °F):</b>	0.08 hPa
· <b>Density at 20 °C (68 °F):</b>	1.114 g/cm <sup>3</sup> (9.296 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with</b>	
Water at 20 °C (68 °F):	1 g/l
· <b>Partition coefficient (n-octanol/water):</b> Not determined.	
· <b>Viscosity:</b>	
Dynamic:	Not determined.
Kinematic:	Not determined.
Organic solvents:	0.3 %
VOC content:	0.3 %
	3.6 g/l / 0.03 lb/gl
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions**
  - Reacts with strong acids and oxidizing agents.
  - Reacts with aluminium at raised temperatures.

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/24/2015

Reviewed on 07/24/2015

**Trade name: Waterless Engine Coolant**

(Contd. of page 5)

- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**
  - Nitrogen oxides
  - Aldehyde
  - Carbon monoxide and carbon dioxide

## 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

### 107-21-1 ethanediol

Oral	LD50	5840 mg/kg (rat)
Dermal	LD50	9530 mg/kg (rabbit)

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** Irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

102-71-6	2,2',2"-nitrioltriethanol	3
----------	---------------------------	---

- **NTP (National Toxicology Program)**

Substance is not listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Harmful to fish

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

USA

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/24/2015

Reviewed on 07/24/2015

Trade name: Waterless Engine Coolant

(Contd. of page 6)

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |  |                 |
|--|-----------------|
| · <b>UN-Number</b>   |                 |
| · <b>DOT</b>   | Not regulated   |
| · <b>UN proper shipping name</b>   |                 |
| · <b>DOT</b>   | Not regulated   |
| · <b>Transport hazard class(es)</b>  |                 |
| · <b>DOT</b>   | Not applicable  |
| · <b>Packing group</b>   |                 |
| · <b>DOT</b>   | Not applicable  |
| · <b>Environmental hazards:</b>  |                 |
| · <b>Marine pollutant:</b>   | No              |
| · <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>  | Not regulated   |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· **Section 355 (extremely hazardous substances):**

Substance is not listed.

· **Section 313 (Specific toxic chemical listings):**

107-21-1 ethanediol

· **TSCA (Toxic Substances Control Act):**

Substance is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males.**

Substance is not listed.

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 07/24/2015

Reviewed on 07/24/2015

**Trade name: Waterless Engine Coolant**

(Contd. of page 7)

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **TLV (Threshold Limit Value established by ACGIH)**

107-21-1 ethanediol

A4

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

· **GHS label elements** The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07 GHS08

· **Signal word** Warning

· **Hazard-determining components of labeling:**

ethanediol

· **Hazard statements**

H227 Combustible liquid.

H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from flames and hot surfaces. – No smoking.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Environment protection department.

· **Date of preparation / last revision**

07/24/2015 / -

5/16/2014

· **Abbreviations and acronyms:**

DOT: US Department of Transportation

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 9)



**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 07/24/2015

Reviewed on 07/24/2015

**Trade name: Waterless Engine Coolant**

(Contd. of page 8)

*VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**: Flammable liquids, Hazard Category 4**Acute Tox. 4: Acute toxicity, Hazard Category 4**STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2*

USA